

Application of Biosignal-Driven Intelligent Systems for Multifunction Prosthesis Control

By

Rami N. Khushaba

Thesis submitted as a requirement for the degree of

Doctor of Philosophy

School of Electrical, Mechanical and Mechatronic Systems
Faculty of Engineering and Information Technology

University of Technology, Sydney (UTS)

January, 2010

Certificate

I, Rami N. Khushaba, declare that this thesis titled, Application of Biosignal-Driven Intelligent Systems for Multifunction Prosthesis Control, and the work presented in it are my own. I confirm that:

- This work was done wholly or mainly while in candidature for a research degree at this University.
- Where any part of this thesis has previously been submitted for a degree or any other qualification at this University or any other institution, this has been clearly stated.
- Where I have consulted the published work of others, this is always clearly attributed.
- Where I have quoted from the work of others, the source is always given. With the exception of such quotations, this thesis is entirely my own work.
- I have acknowledged all main sources of help.
- Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself.

Signed: _____

 R.N

Date: _____

25/1/2010

Acknowledgements

First and foremost, my sincere thanks to God, Who endowed me to complete this PhD research.

I would like to sincerely thank both of my supervisors. To principal supervisor **Dr. Adel Al-Jumaily**, thank you for all your guidance, support, brilliant ideas, numerous hours of discussions, patience, and the opportunities you have presented me. Your managerial skills and uncompromising quest for excellence always motivated me to present the best of what I can. **Dr. Ahmed Al-Ani**, my co-supervisor, thank you for all the hours of collaboration, insightful ideas and constant pursual of research output. Together with Dr. Al-Jumaily, you have been both a source of inspiration that continued to support me to achieve the research goals.

I wish to acknowledge the support of the following researchers who provided me with their own EMG or EEG datasets before commencing the collection of my own datasets, including: Dr. Marko Vuskovic from the San Diego State University, Dr. Bernard Hudgins and his PhD student Mr. Levi Hargrove from the New Brunswick University, Dr. Adrian D.C. Chan from Carleton University. Thanks also extends to the Department of Medical Informatics at the University of Technology, Graz, in Austria and the BCI competition web site for making the EEG datasets available for research use.

Back at UTS, I would like to express my appreciation to Prof. Hung Nguyen for supporting research students and for facilitating the lab equipments usage. Thanks goes to Dr Matthew Gaston for his rapid responses regarding the computing cluster. I wish to also thank my colleagues at UTS especially Dr. Alen Alempijevic, Mr. Akram AlSukker, Dr. Mohamed Al-Jaafreh, and Mr. Tarek Taha for their friendship, discussions, and support. Thanks also extends to Dr. Cindy Leung, Dr. Matthew Rozen, Mr. Michael Behrens, Dr. Damith Herath, Dr. Haye Lau, Dr. Zhan Wang, and Ms. Weizhen Zhou.

Special thanks must go to my parents for their continuous support, prayers, encouragement, and for motivating me to seek higher education. I would also like to sincerely thank my brother and my sister who were always there to support me and for their understanding, encouragement, and making it easy for me to concentrate on my research.

Finally, thank you UTS for the great experience and knowledge you gave me, I acknowledge your support by granting me the IRS scholarship.

Publications

Book Chapters

1. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Swarmed Discriminant Analysis for Multifunction Prosthesis Control", *Applied Swarm Intelligence*, A. Engelbrecht (Ed.), Accepted to Appear in 2009.
2. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Swarm based Fuzzy Discriminant Analysis for Multifunction Prosthesis Control", *Lecture Notes in Computer Science, ICANNGA 2009: Adaptive and Natural Computing Algorithms*, LNCS, Accepted to Appear in 2009.
3. R. N. Khushaba, A. Al-Ani, A. Al-Jumaily, and H. T. Nguyen, "A Hybrid Nonlinear-Discriminant Analysis Feature Projection Technique", *Lecture Notes in Computer Science, AI 2008: Advances in Artificial Intelligence*, LNAI 5360, W. Wobcke and M. Zhang (Eds.): Springer Berlin /Heidelberg, pages 544-550, 2008.
4. R. N. Khushaba, A. Al-Ani, A. AlSukker, and A. Al-Jumaily, "A Combined Ant Colony and Differential Evolution Feature Selection Algorithm", *Lecture Notes in Computer Science, ANTS2008: Ant Colony Optimization and Swarm Intelligence*, LNCS 5217, M. Dorigo et al (Eds.): Springer Berlin / Heidelberg, pages 1-12. 2008.
5. R. N. Khushaba, and A. Al-Jumaily, Myoelectric Control of Prosthetic Devices for Rehabilitation, *Encyclopaedia of Healthcare Information Systems*, N. Wickramasinghe and E. Geisler (Eds.), IDEA Group Inc, pages 965 - 971, 2007.

Journal Papers

1. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Orthogonal Fuzzy Neighbourhood Discriminant Analysis for Multifunction Myoelectric Hand Control", *IEEE Transactions on Biomedical Engineering*, Accepted to appear, 2010.
2. R. N. Khushaba, A. Al-Jumaily, and A. Al-Ani, "Dimensionality Reduction with Neuro-Fuzzy Discriminant Analysis", *International Journal of Computational Intelligence*, 5(3):225-232, 2009.
3. R. N. Khushaba, A. AlSukker, A. Al-Ani, A. Al-Jumaily, and A. Y. Zomaya, "A Novel Swarm based Feature Selection Algorithm in Multifunction Myoelectric Control", *Journal of Intelligent and Fuzzy Systems*, 20(4): 175-185, 2009.

-
4. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Evolutionary Fuzzy Discriminant Analysis Feature Projection Technique in Myoelectric Control", *Pattern Recognition Letters*, 30(7): 699-707, 2009.
 5. R. N. Khushaba, and A. Al-Jumaily, "Fuzzy Wavelet Packet based Feature Extraction Method for Multifunction Myoelectric Control", *International Journal of Biological and Medical Sciences*, 2(3): 186-194, 2007.

Conference Papers

1. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Differential evolution based feature subset selection", *19th International Conference on Pattern Recognition, ICPR2008*. Tampa, FL, USA, pages 1-4, 2008.
2. R. N. Khushaba, A. Al-Jumaily, and A. Al-Ani, "Fuzzy discriminant analysis based feature projection in myoelectric control", *30th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS 2008*. Vancouver, BC, Canada, pages 5049-5052, 2008.
3. R. N. Khushaba, A. AlSukker, A. Al-Ani, A. Al-Jumaily, "Intelligent Artificial Ants based Features Extraction from Wavelet Packet Coefficients for Biomedical Signal Classification", *3rd International Symposium on Communications, Control and Signal Processing, ISCCSP*, St Julians, Malta, pages 1366-1371, 2008.
4. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Swarm Intelligence in Myoelectric Control: Particle Swarm Based Dimensionality Reduction", *The Sixth IASTED International Conference on Biomedical Engineering BioMED 2008*, Innsbruck, pages 40-45, Austria, 2008.
5. R. N. Khushaba, A. Al-Sukker, A. Al-Ani, and A. Al-Jumaily, "Enhanced Feature Selection Algorithm Using Ant Colony Optimization and Fuzzy Memberships", *The Sixth IASTED International Conference on Biomedical Engineering BioMED 2008*, Innsbruck, pages 34-39, Austria, 2008.
6. R. N. Khushaba, A. Al-Ani, and A. Al-Jumaily, "Swarm Intelligence based Dimensionality Reduction for Myoelectric Control", *3rd International Conference on Intelligent Sensors, Sensor Networks and Information, ISSNIP 2007*, Melbourne, Australia, pages 577-582, 2007.
7. R. N. Khushaba, A. Al-Jumaily, and A. Al-Ani, "Novel Feature Extraction Method based on Fuzzy Entropy and Wavelet Packet Transform for Myoelectric Control", *7th International Symposium on Communications and Information Technologies ISCIT2007*, Sydney, Australia, pages 352-357, 2007.
8. R. N. Khushaba, and A. Al-Jumaily, "Channel and feature Selection in Multifunction

Myoelectric Control", *29th IEEE EMBS Annual International Conference*, Lyon-France, pages 5182-518, 2007.

9. R. N. Khushaba and A. Al-Jumaily, "A Simple-Effective Approach for Myoelectric Control of Prosthetic Devices for Rehabilitation", *Cairo International Biomedical Engineering Conference (CIBEC)*, 2006.

Contents

1	Introduction	1
1.1	Background	2
1.2	Biosignal-driven Prosthetic Devices	4
1.2.1	EMG Driven Prosthetics	4
1.2.1.1	Problems with EMG Driven Prosthetics	5
1.2.2	EEG Driven Prosthetics	7
1.2.2.1	Problems with EEG Driven Prosthetics	8
1.3	Objectives of Research	9
1.4	Organization of This Thesis	10
1.5	Summary	11
2	Background and Literature Review	12
2.1	Introduction	12
2.2	Electrical Signals from Muscles - the Electromyogram (EMG)	12
2.2.1	Characteristics of the EMG Signal	13
2.2.2	EMG Signal Measurement	14
2.2.3	Application of EMG in Myoelectric Control	16
2.2.4	The Suitability of A Pattern Recognition Approach to Myoelectric Control	18
2.3	Electrical Signals from the Brain - the Electroencephalogram (EEG)	20
2.3.1	EEG Rhythms	22
2.3.2	EEG Signal Measurement	24
2.3.3	Prosthesis Control Using EEG based Brain Computer Interface	25
2.4	Biosignals Pattern Recognition Systems	28
2.5	Transient or Steady State Signal	30
2.6	The Windowing Approach	32
2.7	Controller Delay and Segment Length	34

2.8	Feature Extraction for Biosignal-Driven Systems	35
2.8.1	Feature Extraction for Myoelectric Control	36
2.8.1.1	Autoregressive Model Parameters	36
2.8.1.2	Time Domain Features	39
2.8.1.3	Spectral Information as Features	41
2.8.2	Feature Extraction for Brain Computer Interfacing	47
2.8.2.1	Fourier Analysis in BCI Applications	47
2.8.2.2	Autoregressive and Adaptive Autoregressive Model Param- eters	49
2.8.2.3	Time-Frequency Analysis of EEG Signals	51
2.9	Dimensionality Reduction	53
2.9.1	Dimensionality Reduction in EMG Driven Systems	56
2.9.2	Dimensionality Reduction in EEG Driven Systems	58
2.10	Classification Algorithms for Biosignals Recognition	61
2.10.1	Linear Classifiers	61
2.10.1.1	Linear Discriminant Analysis (LDA)	61
2.10.1.2	Support Vector Machine (SVM)	63
2.10.2	Artificial Neural Networks	64
2.10.3	Fuzzy Logic Techniques for Classification	65
2.10.4	k -Nearest-Neighbor (k NN) Classifier	65
2.11	Post-processing Techniques	66
2.12	Summary	66
3	Feature Extraction Using Wavelet Packet Transform	67
3.1	Introduction	67
3.2	Wavelets in Multifunction Prosthesis Control	68
3.3	Wavelet Functions and Approximations	68
3.3.1	The Scaling Equation, Scaling Coefficient, and Associated Wavelet Equation	71
3.4	Discrete Wavelet Transform (DWT)	74
3.5	Wavelet Packet Transform (WPT)	76
3.6	Wavelet Packet-based Feature Extraction	77
3.6.1	Joint Best-Basis Algorithm (JBB)	78
3.6.2	Local Discriminant Bases (LDB)	80
3.6.3	Fuzzy Wavelet Packet Feature Extraction Method (FWP)	81
3.6.4	Optimal Wavelet Packet Feature Extraction method (OWP)	83
3.6.5	Limitations of Existing Algorithms	84
3.7	Thesis Contribution-1: Uncertainty-based Information Estimation using Fuzzy Memberships	86
3.7.1	Distance-Based Fuzzy Entropy	87

3.7.2	Fuzzy Mutual Information	96
3.7.3	Fuzzy Information Theory based Wavelet Packet Algorithm (FITWPT)	98
3.7.4	Evaluating the Significance of the Proposed Information Measure	100
3.7.5	Experiments and Results	102
3.7.5.1	Experiment-1: Grasp Recognition	102
3.7.5.2	Experiment-2: Forearm Movement Recognition	106
3.7.5.3	Experiment-3: EEG-based Motor Imagery Classification	112
3.8	Summary	115
4	Dimensionality Reduction Using Feature Subset Selection	116
4.1	Introduction	116
4.2	Feature Subset Selection	117
4.2.1	Population-based Methods for Feature Subset Selection	119
4.3	Thesis Contribution-2: A Combined Ant Colony and Differential Evolution Feature Selection Algorithm	121
4.3.1	Ant Colony Optimization (ACO)	121
4.3.1.1	Application of ACO in Feature Selection	123
4.3.2	Differential Evolution (DE)	123
4.3.3	The Proposed ANTDE Feature Selection Algorithm	124
4.3.4	Experiments and Results	129
4.3.4.1	Experiment-1: A Comparison with Feature Selection Tech- niques	129
4.3.4.2	Experiment-2: A Comparison with Feature Projection Techniques	132
4.4	Thesis Contribution-3: Feature Subset Selection Using Differential Evolution	138
4.4.1	The Proposed DE-based Feature Selection Method	139
4.4.2	Experimental Results	143
4.4.2.1	Experiments on Large Scale Datasets	144
4.4.2.2	Experiments on Datasets with Highly Redundant Features	149
4.4.2.3	DEFS in Wavelet Packet based Feature Extraction	150
4.4.3	DEFS-based Channel Selection Scheme	153
4.4.3.1	EMG Channel Selection	153
4.4.3.2	EEG Channel Selection	154
4.5	Summary	155
5	Dimensionality Reduction Using Fuzzy Discriminant Analysis	158
5.1	Introduction	158
5.2	The Need for Feature Projection	159
5.3	Fisher's Linear Discriminant Analysis (LDA)	160
5.3.1	Limitations of LDA	161
5.4	Fuzzy Linear Discriminant Analysis (FLDA)	162

5.5	Thesis Contribution-4: Orthogonal Fuzzy Neighborhood Discriminant Analysis	164
5.5.1	Experiments and Results	171
5.5.1.1	Experiments on UCI datasets	172
5.5.1.2	Experiments on EMG Datasets	174
5.6	Thesis Contribution-5: Evolutionary Fuzzy Discriminant Analysis	181
5.6.1	Feature Weight Optimization using Differential Evolution	183
5.6.2	Experiments and results	184
5.6.2.1	Experiments on UCI Datasets	185
5.6.2.2	Experiments on EMG Datasets	186
5.7	Extending Fuzzy Discriminant Analysis to the Nonlinear Version	190
5.7.1	Nonlinear Fuzzy Discriminant Analysis based Feature projection	191
5.8	Experiments and Practical Results	194
5.9	Summary	197
6	Summary, Conclusion, and Future Research	198
6.1	Thesis Summary	198
6.2	Recommendation for Future Research	200
6.3	Conclusion	202
A	Datasets Description	204
A.1	Electromyogram (EMG) Datasets Descriptions	204
A.1.1	DATASET-EMG1	204
A.1.1.1	Feature Extraction	205
A.1.2	DATASET-EMG2	206
A.1.2.1	Feature Extraction	207
A.1.3	DATASET-EMG3	207
A.1.3.1	Feature Extraction	208
A.1.4	DATASET-EMG4	208
A.1.4.1	Feature Extraction	209
A.2	Electroencephalogram (EEG) Datasets	209
A.2.1	DATASET-EEG1	210
A.2.1.1	Feature Extraction	210
A.2.2	DATASET-EEG2	211
A.2.2.1	Feature Extraction	211
A.2.3	DATASET-EEG3	212
A.2.3.1	Feature Extraction	213
A.3	Ethical Approvals	213
	Bibliography	214

List of Tables

3.1	Feature1 samples' membership grades in all classes	95
3.2	Feature2 samples' membership grades in all classes	95
3.3	Numerical values of the achieved error rates	103
3.4	Results of one-way ANOVA on DATASET-EMG1	103
3.5	Number of extracted features within the FITWPT and OWP methods . . .	104
3.6	Classification Accuracy with standard error	109
3.7	Results of one-way ANOVA on DATASET-EMG2	109
3.8	Number of extracted features from each algorithm	111
3.9	Average EEG classification accuracies with the k NN classifier	113
3.10	Average EEG classification accuracies with the MLP classifier	113
3.11	Average EEG classification accuracies with the Liblinear classifier	113
3.12	Geometric mean error rates	114
3.13	Win-tie-loss test results	115
3.14	Two-way analysis of variance test results	115
4.1	Statistical significance tests results	131
4.2	Classification accuracy results of ANTDE compared to other techniques on the EMG dataset	133
4.3	Validation and testing accuracies averaged across thirty subjects (using MV+NT column)	136
4.4	Geometric mean error ratios of the proposed ANTDE against different methods	136
4.5	Win-tie-loss results of the proposed ANTDE against different methods . . .	137
4.6	Description of the datasets employed	144
4.7	Memory requirements by each of the feature selection methods computed in Matlab environment and reported in KBytes	145
4.8	Channel accuracies with different feature sets-and different number of channels	154
5.1	Error Rates Achieved on UCI Datasets Employing k NN Classifier, with $k = 5$	172

5.2	Error Rates Achieved on UCI Datasets Employing SVM Classifier (LIBLIN-EAR)	173
5.3	Error Rates Achieved on UCI Datasets Employing SVM Classifier (SVM) .	173
5.4	The different classes of movements considered in the experiments	175
5.5	Two-way analysis of variance test results	179
5.6	Computational time required by different methods in seconds within Matlab	179
5.7	Classifier computational time with and without dimensionality reduction in seconds	180
5.8	Error Rates Achieved on UCI Datasets Employing k NN Classifier, with $k = 5$	186
5.9	Error Rates Achieved on UCI Datasets Employing SVM Classifier (SVM) .	186
5.10	Validation and testing accuracies averaged across thirty subjects	187
5.11	Classification accuracy results from different experiments when varying the segments of the dataset used for validation, and testing	190

List of Figures

1.1	Block diagram of the EMG driven prosthetic arm.	5
1.2	Block diagram of the EEG driven prosthetic control system	8
2.1	A schematic representation of basic motor control mechanisms and of the motor unit and its components	13
2.2	Frequency spectrum of the EMG signal	14
2.3	EMG obtained from both concentric needle and surface electrodes	15
2.4	A schematic of the differential amplifier configuration. The EMG signal is represented by ' m ' and the noise signals by ' n '	16
2.5	Block diagram illustrating relationship between normal and myoelectric control systems (Shaded area is removed by amputation) (adopted from [228, 229])	17
2.6	Temporal structure associated with different movements	19
2.7	The human brain with scalp EEG electrodes recording space averages over many square centimeters of cortical sources, a modified version of the one in [215]	21
2.8	A diagrammatic representation of 10-20 electrode settings for 75 electrodes including the reference electrodes [Adopted from Sanei and Chambers [251]]	26
2.9	Typical components of a biosignal pattern recognition system	29
2.10	An example of the windowing scheme employed with the prosthesis control system (A modified version of Englehart's figure [80])	33
2.11	Taxonomy of dimensionality reduction approaches.	54
2.12	Different data projection techniques: (a) Points mixed when projected onto a line (PCA projection), (b) Points separated when projected onto a line (LDA projection)	62
2.13	Examples of SVM Hyperplanes	63
3.1	The famous Daubechies wavelet function	69
3.2	An example of father (left side) and mother wavelets (right side) of the Symmlet family	70

3.3	Scaled and translated "s8" wavelets	72
3.4	Subband decomposition of the wavelet transform, with gray symbols representing those subspaces kept intact by the wavelet transform	74
3.5	The DWT implemented by means of analysis filter bank.	75
3.6	Subband coding analogy of the DWT	75
3.7	Wavelet packet tree with 3 decomposition levels	77
3.8	Decomposition of $\Omega_{0,0}$ into three-structured subspaces	78
3.9	Intersection of fuzzy sets \mathcal{A} and \mathcal{B}	91
3.10	Patterns for illustration of the fuzzy conditional probability	95
3.11	Membership values of the illustrating example for Feature 1 and 2 with the class labels included	96
3.12	Error rates achieved using different methods and wavelet families	104
3.13	Error rates results using two methods for information estimation with the MIEF algorithm	106
3.14	Tradeoff between the number of features retained and classification accuracy.	108
3.15	Tradeoff between the number of features ranked by MIEF and classification accuracy.	110
3.16	Classification accuracies achieved across six subjects	112
4.1	The typical structure of feature selection algorithms	118
4.2	The proposed framework of feature and channel selection	119
4.3	Flowchart of the proposed ANTDE algorithm	127
4.4	A comparison of ANTDE with other feature selection techniques like ANT, GA, and BPSO on the EEG dataset	131
4.5	Validation and testing classification results achieved with ANTDE, ULDA, and PCA across different feature sets	135
4.6	Diagonal values of the confusion matrices achieved with ANTDE, ULDA, and PCA across different feature sets	137
4.7	Block diagram of the proposed DEFS algorithm.	140
4.8	The feature distribution factors	142
4.9	cancer datasets	146
4.10	cancer datasets	147
4.11	cancer datasets	148
4.12	Results acquired from experiments on Madelon dataset across 30 runs	151
4.13	cancer datasets	152
4.14	Channels mean classification accuracy with standard deviation	154
4.15	DEFS-WPT tress	156
4.16	Classification accuracy of the selected WPT channels with different tree representations	157
4.17	Classification accuracy of the channels selected with different algorithms	157

5.1	The proposed feature projection method.	164
5.2	EMG pattern recognition system	174
5.3	Classification accuracy with different classifiers	175
5.4	Average classification accuracy achieved across seven subjects using different methods and number of classes	178
5.5	Differential evolution based weights optimization for DEFLDA	184
5.6	DE based weights optimization algorithm	184
5.7	Average classification accuracy achieved across thirty subjects using different methods	188
5.8	Diagonal values of the confusion matrix averaged across 30 subjects	190
5.9	Block Diagram of the proposed projection technique	192
5.10	DE based weight optimization technique	193
5.11	Classification accuracies averaged across 5 subjects with 20%, 20%, 60% divisions	195
5.12	Classification accuracies averaged across 5 subjects with 60%, 20%, 20% divisions	196
A.1	Grasp types represented by the prehensile EMG dataset.	205
A.2	A cross-section of the upper forearm showing the surface electrodes locations on human forearm [118].	206
A.3	Ten classes of motion acquired from 16 EMG surface electrodes.	207
A.4	Bipolar electrodes placement on the right forearm	208
A.5	Electrodes placement on the right arm within the third dataset.	209
A.6	Electrodes placement on the right arm within the third dataset.	211
A.7	Wavelet packet decomposition of the 56 EEG channels	212
A.8	Different classes of hand movements that the user imagined	213

Acronyms and Abbreviations

AAR:	Adaptive Autoregressive
ACO:	Ant Colony Optimization
ACV:	Adaptive Cepstrum Vector
ANN:	Artificial Neural Network
ANOVA:	Analysis of Variance
AP:	Action Potential
ARIMA:	Autoregressive Integrated Moving Average
ARMA:	Autoregressive Moving Average
BCI:	Brain-Computer Interface
BE:	Backward Elimination
BMI:	Brain-Machine Interface
CCA:	Canonical Correlation Analysis
CNS:	Central Nervous System
CSP:	Common Spatial Pattern
CSSD:	Common Spatial Subspace Decomposition
CWD:	Choi-Williams Distribution
CWT:	Continuous Wavelet Transform
DB:	Davies-Bouldin
DE:	Differential Evolution
DEFLDA:	Differential Evolution based Fuzzy Linear Discriminant Analysis
DMAV:	Difference Mean Absolute Value
DOF:	Degree-of-Freedom
DR:	Dimensionality Reduction
DWT:	Discrete Wavelet Transforms
EA:	Evolutionary Algorithm
EDA:	Estimation of Distribution Algorithm
EEG:	Electroencephalogram
EMG:	Electromyogram
EP:	Evoked Potential
ERP:	Event-Related Potential
EWP:	Energy of the Wavelet Packet
FCM:	Fuzzy C-Means
FDR:	Fisher Discrimination Rate

FFT: Fast Fourier Transform
FIR: Finite Impulse Response
FITWPT: Fuzzy Information Theory based Wavelet Packet Transform method
FLDA: Fuzzy Linear Discriminant Analysis
FLDI: Fishers Linear Discriminant Index
fMRI: functional Magnetic Resonance Imaging
FNS: functional neural stimulation
FP: Feature Projection
FS: Feature Selection
FWP: Fuzzy Wavelet Packet
GA: Genetic Algorithm
GSVD: Generalized Singular Value Decomposition
HMI: Human-Machine Interfacing
IAV: Integral Absolute Value
ICA: Independent Component Analysis
JBB: Joint Best Basis
KDA: Kernel Discriminant Analysis
KFDA: Kernel Fuzzy Discriminant Analysis
KLPP: Kernel Locality Preserving Embedding
kNN: k-Nearest-Neighbor
KPCA: Kernel Principal Components Analysis
LCC: Linear Cepstrum Coefficients
LDA: Linear Discriminant Analysis
LDB: Local Discriminant Basis
LMS: Least-Mean-Square
LPP: Locality Preserving Projection
LS: Least-Squares
LSVM: Linear Support Vector Machine
MEG: Magnetoencephalogram
MES: Myoelectric Signal
MI: Mutual Information
MIEF: Mutual Information Evaluation Measure
MIFS: Mutual Information Feature Selection
MLP: Multilayer Perceptron
MRA: Multiresolution Analysis
MRD: Multiresolution Decomposition
mRMR: minimum-Redundancy-Maximum-Relevant
MU: Motor Unit
MV: Majority Vote
NB: Naive Bayes

NIRS: Near Infrared Spectroscopy
NMF: Nonnegative Matrix Factorization
NPE: Neighborhood Preserving Embedding
OFNDA: Orthogonal Fuzzy Neighborhood Discriminant Analysis
OLDA: Orthogonal Linear Discriminant Analysis
OPCA: Oriented Principal Component Analysis
OWP: Optimal Wavelet Packet
PCA: Principal Components Analysis
pdf: Probability Density Function
PSO: Particle Swarm Optimization
PWVD: Pseudo Wigner-Ville Distribution
RBF: Radial Basis Function
RMS: Root Mean Square
RWE: Relative Wavelet Energy
RWED: Running Windowed Exponential Distribution
SA: Simulated Annealing
SCP: Slow Cortical Potential
SFS: Sequential Forward Selection
SM: Selection Measure
SMR: Sensorimotor Rhythm
SOFM: Self Organizing Feature Map
SPR: Spectral Power Ratio
SSPR: Sandwich Spectral Power Ratio
SSVEP: Steady-State Visual Evoked Potential
STFT: Short Time Fourier Transform
SVD: Singular Value Decomposition
SVM: Support Vector Machine
T2FLDA: Type-2 Fuzzy Logic System
TD: Time Domain
TFR: Time-Frequency Representation
TMR: Targeted Muscle Reinnervation
TS: Tabu Search
TSP: Travelling Salesman Problem
ULDA: Uncorrelated Linear Discriminant Analysis
WPT: Wavelet Packet Transform
WT: Wavelet Transform

Abstract

Prosthetic devices aim to provide an artificial alternative to missing limbs. The controller for such devices is usually driven by the biosignals generated by the human body, particularly Electromyogram (EMG) or Electroencephalogram (EEG) signals. Such a controller utilizes a pattern recognition approach to classify the EMG signal recorded from the human muscles or the EEG signal from the brain. The aim of this thesis is to improve the EMG and EEG pattern classification accuracy. Due to the fact that the success of pattern recognition based biosignal driven systems highly depends on the quality of extracted features, a number of novel, robust, hybrid and innovative methods are proposed to achieve better performance. These methods are developed to effectively tackle many of the limitations of existing systems, in particular feature representation and dimensionality reduction. A set of knowledge extraction methods that can accurately and rapidly identify the most important attributes for classifying the arm movements are formulated. This is accomplished through the following:

1. Developing a new feature extraction technique that can identify the most important features from the high-dimensional time-frequency representation of the multi-channel EMG and EEG signals. For this task, an information content estimation method using fuzzy entropies and fuzzy mutual information is proposed to identify the optimal wavelet packet transform decomposition for classification.
2. Developing a powerful variable (feature or channel) selection paradigm to improve the performance of multi-channel EMG and EEG driven systems. This will eventually lead to the development of a combined channel and feature selection technique as one possible scheme for dimensionality reduction. Two novel feature selection methods are developed under this scheme utilizing the ant colony and differential evolution optimization techniques. The differential evolution optimization technique is further modified in a novel attempt in employing a float optimizer for the combinatorial task of feature selection, proving powerful performance by both methods.
3. Developing two feature projection techniques that extract a small subset of highly informative discriminant features, thus acting as an alternative scheme for dimensionality reduction. The two methods represent novel variations to fuzzy discriminant analysis based projection techniques. In addition, an extension to the non-linear discriminant analysis is proposed based on a mixture of differential evolution and fuzzy discriminant analysis.

The testing and verification process of the proposed methods on different EMG and EEG datasets provides very encouraging results.